




Criterion VII: Institutional Values and Best Practices

7.1.4 Water conservation facilities available in the Institution:



Criterion VII: Institutional Values and Best Practices

1. Rain water Harvesting



Criterion VII: Institutional Values and Best Practices

1. Rain water Harvesting



Criterion VII: Institutional Values and Best Practices

1. Rain water Harvesting Point 1



Criterion VII: Institutional Values and Best Practices

2. Rain water Harvesting Point 2



Criterion VII: Institutional Values and Best Practices

Rain water Harvesting Point 3



Criterion VII: Institutional Values and Best Practices

2. Open well recharge by underground pipeline



Criterion VII: Institutional Values and Best Practices

2. Bore well recharge by underground pipeline of rain water harvesting



Criterion VII: Institutional Values and Best Practices

3. Construction of tanks and bunds-




Criterion VII: Institutional Values and Best Practices

3. Construction of tanks and bunds-




Criterion VII: Institutional Values and Best Practices

4. Waste water recycling -waste drinking water is used for plants



Criterion VII: Institutional Values and Best Practices

4. Waste water recycling -waste water is used for plants



Criterion VII: Institutional Values and Best Practices

Maintenance of water bodies and distribution system in the campus




Criterion VII: Institutional Values and Best Practices

Maintenance of water bodies and distribution system in the campus



Criterion VII: Institutional Values and Best Practices

Maintenance of water bodies and distribution system in the campus



Criterion VII: Institutional Values and Best Practices

Maintenance of water bodies and distribution system in the campus

